

EPPEC Cross-Site Evaluation Patient Assessment (English)

The date is recorded as [DATE] and the time is recorded as [STTIME]. If these are incorrect, please exit and correct system clock.

Q1. Patient ID Number: _____

Q2. Site ID: _____

If Q2 is not equal to PAID2 then Site ID does not correspond with first two digits of Patient ID. Please correct." skip to Q1.

Q3. Visit Number: _____

The ID is recorded as [Response to Q1]. Site is recorded as [Response to Q2] and visit is recorded as [Response to Q3]. If these are incorrect, please go back and correct.

The purpose of this study is to help us develop services and programs to support patients/clients like you in preventing the transmission of HIV to others. The information we gather will help us learn what you know about preventing HIV transmission and how you feel about the clinic support you are receiving for your prevention efforts. This survey contains questions about sensitive topics such as drug and alcohol use and sexual behavior. All of the information you provide is strictly confidential and is protected by law from disclosure to outside organizations and agencies that are not involved with this study. Because a broad range of men and women are participating, some questions in this interview may not apply to you; however, we have to ask the same questions of all participants. You can refuse to answer any question, but when you do answer, please answer as honestly as possible. We appreciate your helping us today, as well as your important contribution to HIV prevention research.

Demographics

First, we would like to ask you some things that will help us know more about you.

DQ1. How old are you? _ _ _
998 Refuse to Answer

DQ2. What is your **primary** race or ethnic identification? (Select one) (Choose one)

0	Black/African American
1	Hispanic/Latino
2	White, not of Hispanic origin
3	Asian/Pacific Islander
4	American Indian/Alaskan Native
5	Another Race/Ethnicity
8	Refuse to Answer

DQ3. What is the highest level of education you have completed? (Select one) (Choose one)

0	No formal education
1	Did not graduate from High School
2	High school graduate or GED
3	Some college/AA degree/technical school training
4	College graduate (BA/BS)
5	Some graduate school
6	Master's degree
7	Doctorate/Medical degree/Law degree
8	Refuse to Answer

DQ4. Are you: (Select one) (Choose one)

0	Male
1	Female
2	Transgender (Male to Female)
3	Transgender (Female to Male)

If DQ4 is equal to 0 or DQ4 is equal to 1, then skip to DQ5.

DQ4a. Do you have a penis? 1 Yes
0 No

DQ5. During the last 12 months, what was your total **personal** income from all sources? (Select one.) (Choose one)

0	\$10,000 or less
1	\$10,001 to \$20,000
2	\$20,001 to \$40,000
3	\$40,001 to \$60,000
4	\$60,001 to \$80,000
5	Over \$80,000
8	Refuse to Answer

DQ6. During the last 12 months, where did you get your income? (Select all that apply.) (Check all that apply)

- A job
- Unemployment
- Welfare, food stamps, AFDC, GA, Cal-works
- VA benefits
- Disability, SSI
- Spouse or sexual partner
- Other family
- Friends
- Alimony or child support
- Sex work
- Selling drugs
- Hustling (petty theft, shoplifting, panhandling, recycling, scams, etc.)
- Other
- Refuse to Answer

DQ7. What kind of health insurance do you have now? (Select all that apply) (Check all that apply)

- Medicaid
- Medicare
- Veteran's Administration
- Private insurance or HMO (i.e. Blue Cross, Kaiser, etc.)
- None
- Other
- Refuse to Answer

If DQ7E is equal to 1 and (DQ7A is equal to 1 or DQ7B is equal to 1 or DQ7C is equal to 1 or DQ7D is equal to 1 or DQ7F is equal to 1) then You cannot select both 'none' and another type of insurance. Please correct." skip to DQ7.

DQ8. Describe your relationship status (Select one). (Choose one)

- 0 Single/Never Married
- 1 In a committed relationship (not married and not living together)
- 2 In a domestic partnership (living with a committed partner)
- 3 Married
- 4 Separated
- 5 Divorced
- 6 Widowed
- 7 Other
- 8 Refuse to Answer

DQ9. Do you now identify as: (Select one.) (Choose one)

- 00 Straight/Heterosexual
- 01 Gay/Homosexual
- 02 Bisexual
- 07 Other
- 08 Not sure
- 98 Refuse to Answer

HIV History and Current Medical Status

HQ1. We are doing this study with people who are living with HIV. It is helpful for us to know how long you have been personally dealing with HIV. When did you first learn that you were HIV-positive? *[The HIV antibody test was first given in 1985.]*

___ / ___ ___ mm / yyyy
 2098 Refuse to Answer (Year)

HQ2. What is the most likely way that you became infected with HIV? Select the most likely way, even if you are uncertain. (Check all that apply)

- Sex with a man who was HIV-positive
- Sex with a woman who was HIV-positive
- Shared needles or other injection equipment with a person who was HIV-positive
- Blood transfusion or other medical procedure
- Needle stick or other exposure while at work (occupational exposure)
- Refuse to Answer

HQ3. How long have you been receiving medical care at this clinic?
Only fill in number for DAYS if you have been receiving medical care at this clinic for less than 30 days. Otherwise, "0" can be entered for DAYS. For example, if you have been receiving medical care at this clinic for 3 and 1/2 years, a "3" would be entered for Years; a "6" would be entered for Months; and a "0" would be entered for Days.

___ ___ YEARS
 ___ ___ MONTHS
 ___ ___ DAYS
 9998 Refuse to Answer (Days)

HQ4. Have you **ever** taken combination HIV drug therapy/antiretroviral medications to treat your HIV-infection?

1 Yes
 0 No
 8 Refuse to Answer

If HQ4 is equal to 0, then skip to HQ7.

HQ5. Are you **currently** taking combination HIV drug therapy to treat your HIV-infection?

1 Yes
 0 No
 8 Refuse to Answer

HQ6. How many months **total** have you been or have you ever been on combination HIV drug therapy? (If you don't know the exact number of months, please estimate.) ___ ___ Months

997 Don't Know
 998 Refuse to Answer

If HQ6 is greater than HQ1CALC then The total number of months you have been on combination drug therapy cannot be greater than the number of months since you tested HIV-positive" skip to HQ6.

- HQ7. Have you ever had a viral load test?
- | | |
|---|------------------|
| 1 | Yes |
| 0 | No |
| 7 | Don't Know |
| 8 | Refuse to Answer |

If HQ7 is equal to 0 or HQ7 is equal to "Don't Know", then skip to HQ9.

- HQ7a. When was your most recent viral load test done?
- | | |
|---------|-------------------------|
| ___/___ | mm / yyyy |
| 2097 | Don't Know (Year) |
| 2098 | Refuse to Answer (Year) |

- HQ7b. Was the result of your most recent viral load test detectable?
- | | |
|---|------------------|
| 1 | Yes |
| 0 | No |
| 7 | Don't Know |
| 8 | Refuse to Answer |

If HQ7b is equal to 0, then skip to HQ8.

- HQ7c. What was the number of your **most recent** viral load test?
- | | |
|---------|------------------|
| _____ | copies/ml |
| 9999997 | Don't Know |
| 9999998 | Refuse to Answer |

- HQ8. Have you ever had a viral load test result that was **higher** than your most recent viral load test result?

This would be a viral load test result that was higher than the response given in the previous question

- | | |
|---|------------------|
| 1 | Yes |
| 0 | No |
| 7 | Don't Know |
| 8 | Refuse to Answer |

If HQ8 is equal to 0 or HQ8 is equal to "Don't Know", then skip to HQ9.

- HQ8a. When was your highest viral load test done?
- This would be the viral load test on which you received the highest viral load number ever.*

- | | |
|---------|-------------------------|
| ___/___ | mm / yyyy |
| 2097 | Don't Know (Year) |
| 2098 | Refuse to Answer (Year) |

If HQ7a is not equal to "Don't Know" and HQ7a is not equal to "Refuse to Answer" and HQ7a is less than HQ8a then Your highest viral load test cannot be after your most recent viral load test" skip to HQ8a.

- HQ8b. What was the number of your highest viral load test?
- | | |
|---------|------------------|
| _____ | copies/ml |
| 9999997 | Don't Know |
| 9999998 | Refuse to Answer |

Global Health

GQ1. In general, would you say your health is (Select one) (Choose one)

- 1 poor
- 2 fair
- 3 good
- 4 very good
- 5 excellent
- 8 Refuse to Answer

Attitudes - To be completed by all respondents

For the next section, select the response that best reflects the degree to which you agree or disagree with the following statements along a scale of 1 to 7. If you select a 1, this would mean that you strongly disagree with the statement; a 2 would mean that you disagree with the statement; a 3 would mean that you somewhat disagree with the statement; a 4 would mean that you neither agree nor disagree with the statement; a 5 would mean you somewhat agree with the statement; a 6 would mean that you agree with the statement; and a 7 would mean that you strongly agree with the statement.

A1. I am satisfied with the medical services I receive at this clinic.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A2. I am **not** satisfied with the social support services I receive at this clinic.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A3. I am satisfied with the HIV prevention services that I receive from staff at this clinic.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

- A4. The staff at this clinic understand how complicated my life is living with HIV.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |
- A5. Over the last six months, I have been satisfied with my sex life.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |
- A6. I expect that I will eventually give HIV to someone else.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |

A7. The staff at this clinic do **not** understand how sex fits into my life.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A8. I get support from staff at this clinic for coping with the challenge of being sexually active as a person living with HIV.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A9. I am concerned about the risk of being re-infected with HIV.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

- A10. I do **not** discuss sex with my primary healthcare provider because it is a private matter.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |
- A11. During my office visits, my primary healthcare provider and I usually talk about the risk of my transmitting HIV to others.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |
- A12. My primary healthcare provider assumes I always use condoms.
- | | |
|----|----------------------------|
| 01 | Strongly Disagree |
| 02 | Disagree |
| 03 | Somewhat Disagree |
| 04 | Neither agree nor disagree |
| 05 | Somewhat Agree |
| 06 | Agree |
| 07 | Strongly Agree |
| 97 | Don't Know |
| 98 | Refuse to Answer |
| 99 | Not Applicable |

A13. It is my role as a person living with HIV to discuss with HIV-negative people how important it is to stay uninfected.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A14. Using condoms correctly is an effective way to prevent HIV transmission.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A15. Taking combination HIV drug treatment the way my primary health care provider tells me to is an effective way to prevent HIV transmission.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A16. The responsibility for not getting infected with HIV should be placed on HIV-negative people more than on HIV-positive people.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A17. It would be helpful to me if discussions about not transmitting HIV to others were a regular part of my health care.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A18. I am worried that I could have infected someone else with HIV in the last six months.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

- A19. The subject of using condoms never comes up during my regular HIV care visits.
- 01 Strongly Disagree
 - 02 Disagree
 - 03 Somewhat Disagree
 - 04 Neither agree nor disagree
 - 05 Somewhat Agree
 - 06 Agree
 - 07 Strongly Agree
 - 97 Don't Know
 - 98 Refuse to Answer
 - 99 Not Applicable
- A20. My primary healthcare provider has clearly explained to me the risk of re-infection with HIV.
- 01 Strongly Disagree
 - 02 Disagree
 - 03 Somewhat Disagree
 - 04 Neither agree nor disagree
 - 05 Somewhat Agree
 - 06 Agree
 - 07 Strongly Agree
 - 97 Don't Know
 - 98 Refuse to Answer
 - 99 Not Applicable
- A21. Condoms are easy to get at my clinic.
- 01 Strongly Disagree
 - 02 Disagree
 - 03 Somewhat Disagree
 - 04 Neither agree nor disagree
 - 05 Somewhat Agree
 - 06 Agree
 - 07 Strongly Agree
 - 97 Don't Know
 - 98 Refuse to Answer
 - 99 Not Applicable

A22. Information, fliers and pamphlets about HIV and HIV transmission are **not** easy to get at my clinic.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A23. HIV prevention media campaigns (TV ads/commercials, billboards, posters) address my needs as a person living with HIV.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A24. Most people are afraid to be around a person with HIV.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A25. Most people think that people with HIV can teach us a lot about life.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A26. I feel ashamed that I have HIV.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A27. Although I have HIV, I am a person who deserves as much respect as anyone else.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

- A28. I am confident that I could use a condom successfully.
- 01 Strongly Disagree
02 Disagree
03 Somewhat Disagree
04 Neither agree nor disagree
05 Somewhat Agree
06 Agree
07 Strongly Agree
97 Don't Know
98 Refuse to Answer
99 Not Applicable
- A29. The staff at this clinic understands what it is like to live with HIV in my community.
- 01 Strongly Disagree
02 Disagree
03 Somewhat Disagree
04 Neither agree nor disagree
05 Somewhat Agree
06 Agree
07 Strongly Agree
97 Don't Know
98 Refuse to Answer
99 Not Applicable
- A30. Because of combination HIV drug treatments, I am less concerned about infecting someone.
- 01 Strongly Disagree
02 Disagree
03 Somewhat Disagree
04 Neither agree nor disagree
05 Somewhat Agree
06 Agree
07 Strongly Agree
97 Don't Know
98 Refuse to Answer
99 Not Applicable

A31. The availability of combination HIV drug treatments makes me less worried about having unprotected sex.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A32. Because of new combination drug treatments for HIV, I have risked infecting someone when I had sex.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

A33. It is **not** possible to reinfect someone who is already HIV-positive.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

For Ethnic Minority Respondents (Add if respondent selected any but "White, not of Hispanic origin" in the demographics section)

If DQ2 is equal to 2, then skip to instruction before SE1.

MA1. My primary health care provider understands the issues I face with HIV as a member of an ethnic minority community.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

MA2. I face discrimination in my community as a result of my HIV status.

- 01 Strongly Disagree
- 02 Disagree
- 03 Somewhat Disagree
- 04 Neither agree nor disagree
- 05 Somewhat Agree
- 06 Agree
- 07 Strongly Agree
- 97 Don't Know
- 98 Refuse to Answer
- 99 Not Applicable

Coping Self Efficacy - To be completed by all respondents

Now, you will be asked some questions about how you dealt with stressful situations in your life for the past month, including today. Select the response that best reflects whether you can or cannot do the following along a scale of 1 to 7.

For example, you might be asked if you have felt that you can cheer yourself up. If you answer 1 when asked the question, that would mean that you felt that you could not at all cheer yourself up and if you answer 7 that would mean that you were completely certain that you could cheer yourself up. A 4 would mean that you were moderately certain that you could cheer yourself up. So, for each of the following questions, please choose a number from 1-7 using this scale.

Each of the following statements has the **same beginning**, but will **end differently**. Please listen to and/or read carefully the whole statement, as the end of these statements will change.

SE1. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Make unpleasant thoughts go away.

(1 means you cannot at all make unpleasant thoughts go away; 7 means that you are completely certain you can make unpleasant thoughts go away; a 4 means that you are moderately certain you can make unpleasant thoughts go away)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE2. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Take your mind off unpleasant thoughts.

(1 means you cannot at all take your mind off unpleasant thoughts; 7 means that you are completely certain you can take your mind off unpleasant thoughts; a 4 means that you are moderately certain you can take your mind off unpleasant thoughts)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE3. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Stop yourself from being upset by unpleasant thoughts.

(1 means you cannot at all stop yourself from being upset by unpleasant thoughts; 7 means that you are completely certain can stop yourself from being upset by unpleasant; a 4 means that you are moderately certain you can stop yourself from being upset by unpleasant thoughts)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE4. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Get friends to help you with the things you need.

(1 means you cannot at all get friends to help you with the things you need; 7 means that you are completely certain you can get friends to help you with the things you need; a 4 means that you are moderately certain you can get friends to help you with the things you need)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE5. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Get emotional support from friends and family.

(1 means you cannot at all get emotional support from friends and family; 7 means that you are completely certain you can get emotional support from friends and family ; a 4 means that you are moderately certain you can get emotional support from friends and family)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE6. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Make new friends.

(1 means you cannot make new friends at all; 7 means that you are completely certain you can make new friends; a 4 means that you are moderately certain you can make new friends)

- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE7. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Break an upsetting problem down into smaller parts.

(1 means you cannot at all break an upsetting problem down into smaller parts; 7 means that you are completely certain you can break an upsetting problem down into smaller parts; a 4 means that you are moderately certain you can break an upsetting problem down into smaller parts)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE8. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Sort out what can be changed, and what cannot be changed.

(1 means you cannot at all sort out what can be changed, and what cannot be changed; 7 means that you are completely certain you can sort out what can be changed, and what cannot be changed; a 4 means that you are moderately certain you can sort out what can be changed, and what cannot be changed)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

SE9. Thinking about the past month, including today, when things aren't going well for you, or when you're having problems, how confident or certain are you that you can:
Make a plan of action and follow it when confronted with a problem.

(1 means you cannot at all make a plan of action and follow it when confronted with a problem; 7 means that you are completely certain you can make a plan of action and follow it when confronted with a problem; a 4 means that you are moderately certain you can make a plan of action and follow it when confronted with a problem)

- 1 Cannot do at all
- 2
- 3
- 4
- 5
- 6
- 7 Completely certain can do
- 8 Refuse to Answer
- 9 Not Applicable

If DQ4 is equal to 1 or (DQ4 is equal to 2 or DQ4 is equal to 3) and DQ4a is equal to 0, then skip to instruction before W1.

SEXUAL RISK ASSESSMENT FOR MEN- Sexual Behavior with Women

These next questions are about the sexual relationships you might have had in the **last 6 months**. Again, please remember all data are strictly confidential and your responses are protected by law and cannot be disclosed to any outside organization or agency not involved with this study.

The following questions ask about your sexual behavior with partners who are HIV-positive and HIV-negative, as well as partners whose HIV status you were not sure of. Again, these questions refer to the **last 6 months**.

- M1. Have you had any female sex partners in the **last 6 months**? By female sex partners, we mean women with whom you had vaginal, anal or oral sex, with or without ejaculation.¹
- | | |
|---|------------------|
| 0 | Yes |
| 0 | No |
| 8 | Refuse to Answer |

If M1 is equal to 0, then skip to instruction before M15.

- M1a. How many female sexual partners have you had in the last 6 months?
- | | |
|-----|------------------|
| --- | Refuse to Answer |
| 998 | Refuse to Answer |

If M1a is greater than 1, then skip to instruction before M2.

- M1b. What is this partner's HIV status? (Choose one)
- | | |
|-----|------------------|
| 0 | Positive |
| 1 | Negative |
| 88 | Not Sure |
| 998 | Refuse to Answer |

- M1c. Were you in a primary relationship with this sex partner? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.
- | | | | |
|---|------------------|---|-----|
| 0 | No | 1 | Yes |
| 8 | Refuse to Answer | | |

- M1d. Did your primary partner know that you were HIV-positive because you told her that you were positive? (Choose one)
- | | |
|-----|------------------|
| 0 | No |
| 1 | Yes |
| 88 | Not Sure |
| 998 | Refuse to Answer |

If M1b is equal to 0, then skip to instruction before M6.

If M1b is equal to 1, then skip to instruction before M9.

If M1b is equal to 88, then skip to instruction before M12.

The next questions ask about HIV-status of the sexual partners asked about in the last question. First, we will ask you about your **HIV-positive** sexual partner(s). Then we will ask you about your **HIV-negative** sexual partner(s). Lastly, we will ask you about sex partner(s) whose **HIV status you are not sure of**. For these next questions, please keep in mind that the number of HIV-positive sexual partners, HIV-negative sexual partners, and partners whose HIV status you are not sure of must equal the **total** number of partners that you entered in the last question. If you want to, write your number of partners down on the sheet of scratch paper provided to help you answer the next questions.

M2. **In the last six months...** How many of your [Response to M1a] female sex partners were **HIV-positive**?

___ ___
998 Refuse to Answer

If M2 is greater than M1a then The number of your HIV-positive sex partners cannot be greater than your total number of sex partners." skip to M2.

If M2 is equal to 0 or M2 is equal to "Refuse to Answer", then skip to instruction before M3.

M2a. Of this/these [Response to M2] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

___ ___
998 Refuse to Answer

If M2a is greater than M2 then The number of partners you told cannot be greater than your number of partners." skip to M2a.

M3. **In the last six months...** How many of your [Response to M1a] female sex partners were **HIV-negative**?

___ ___
998 Refuse to Answer

If M3 is greater than M1a then The number of your HIV-negative sex partners cannot be greater than your total number of sex partners." skip to M3.

If M3 is equal to 0 or M3 is equal to "Refuse to Answer", then skip to instruction before M4.

M3a. Of this/these [Response to M3] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

___ ___
998 Refuse to Answer

If M3a is greater than M3 then The number of partners you told cannot be greater than your number of partners." skip to M3a.

M4. **In the last six months...** How many of your [Response to M1a] female sex partners' HIV status were you unsure of?

___ ___
998 Refuse to Answer

If M4 is greater than M1a then The number of your sex partners whose status you were not sure of cannot be greater than your total number of sex partners." skip to M4.

If M2 + M3 + M4 is not equal to M1a and M2 is not equal to "Refuse to Answer" and M3 is not equal to "Refuse to Answer" and M4 is not equal to "Refuse to Answer" then The number of HIV+, HIV-, and unknown HIV status partners must equal your total number of partners. We will now ask you about these partners again." skip to M2.

If M4 is equal to 0 or M4 is equal to "Refuse to Answer", then skip to instruction before M5.

M4a. Of this/these [Response to M4] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M4a is greater than M4 then The number of partners you told cannot be greater than your number of partners." skip to M4a.

M5. Were you in a primary relationship with at least **one** female sex partner during the **last 6 months**? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.

1 Yes
0 No
8 Refuse to Answer

If M5 is equal to 0, then skip to instruction before M6.

M5a. How many primary partners have you had in the last 6 months? (Choose one)

0 1
1 More than 1
8 Refuse to Answer

If M5a is equal to 1, then skip to instruction before M5d.

M5b. What is your primary partner's HIV status? (Choose one)

00 Positive
01 Negative
88 Not Sure
98 Refuse to Answer

M5c. Did your primary partner know that you were HIV-positive because you told her that you were positive?

1 Yes
0 No
8 Refuse to Answer

If M5a is equal to 0, then skip to instruction before M6.

M5d. How many primary partners have you had in the last 6 months?

— — —
998 Refuse to Answer

If M5d is greater than M1a then The number of your primary partners cannot be greater than your total number of sex partners." skip to M5d.

M5e. How many of your [Response to M5d] primary partners were HIV-positive?

— — —
998 Refuse to Answer

If M5e is greater than M5d then The number of HIV-positive primary partners cannot be greater than the number of primary partners" skip to M5e.

If M5e is greater than M2 then The number of HIV-positive primary partners cannot be greater than the number of your HIV-positive partners" skip to M5e.

If M5e is equal to 0 or M5e is equal to "Refuse to Answer", then skip to instruction before M5f.

M5e1. Of this/these [Response to M5e] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M5e1 is greater than M5e then The number of partners you told cannot be greater than your number of partners." skip to M5e.

M5f. How many of your [Response to M5d] primary partners were HIV-negative?

— — —
998 Refuse to Answer

If M5f is greater than M5d then The number of HIV-negative primary partners cannot be greater than the number of primary partners." skip to M5f.

If M5f is greater than M3 then The number of HIV-negative primary partners cannot be greater than the number of your HIV-negative partners" skip to M5f.

If M5f is equal to 0 or M5f is equal to "Refuse to Answer", then skip to instruction before M5g.

M5f1. Of this/these [Response to M5f] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M5f1 is greater than M5f then The number of partners you told cannot be greater than your number of partners." skip to M5f.

M5g. How many of your [Response to M5d] primary partners' HIV status were you unsure of?

— — —
998 Refuse to Answer

If M5g is greater than M5d then The number of primary partners whose HIV status you are unsure of cannot be greater than the number of primary partners." skip to M5g.

If M5g is greater than M4 then The number of primary partners whose HIV status you are unsure of cannot be greater than the number of your unknown HIV-status partners" skip to M5g.

If M5g is equal to 0 or M5g is equal to "Refuse to Answer", then skip to instruction before M6.

M5g1. Of this/these [Response to M5g] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998

Refuse to Answer

If M5g1 is greater than M5g then The number of partners you told cannot be greater than your number of partners." skip to M5g.

If M5e + M5f + M5g is not equal to M5d then The sum of the number of HIV-positive, HIV-negative, and unknown HIV status primary partners must equal your total number of primary partners" skip to M5e.

If M1a is equal to 1 and M1b is not equal to 0 or M1a is greater than 1 and M2 is equal to 0, then skip to instruction before M9.

HIV-POSITIVE PARTNERS (the yellow sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-positive** female partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

M6. **In the last 6 months:**
How many times did you ejaculate or cum in this/these HIV-positive partner(s)' mouth(s) without a condom?

___ ___
998 Refuse to Answer

M7. How many times did you have vaginal sex with this/these HIV-positive partner(s)? This would be with or without a condom and whether or not you ejaculated.

___ ___
998 Refuse to Answer

If M7 is equal to 0 or M7 is equal to "Refuse to Answer", then skip to instruction before M8.

M7a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M7a is greater than M7 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M7.

M8. How many times did you have anal sex with your HIV-positive partner(s)? This would be with or without a condom and whether or not you ejaculated.

___ ___
998 Refuse to Answer

If M8 is equal to 0 or M8 is equal to "Refuse to Answer", then skip to instruction before M9.

M8a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M8a is greater than M8 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M8.

If M1a is equal to 1 and M1b is not equal to 1 or M1a is greater than 1 and M3 is equal to 0, then skip to instruction before M12.

HIV-NEGATIVE PARTNERS (the green sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-negative** female partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

M9. **In the last 6 months:**
How many times did you ejaculate or cum in this/these HIV-negative partner(s)' mouth(s) without a condom?

___ ___
998 Refuse to Answer

M10. How many times did you have vaginal sex with this/these HIV-negative partner(s)? This would be with or without a condom and whether or not you ejaculated.

___ ___
998 Refuse to Answer

If M10 is equal to 0 or M10 is equal to "Refuse to Answer", then skip to instruction before M11.

M10a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M10a is greater than M10 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M10.

M11. How many times did you have anal sex with your HIV-negative partner(s)? This would be with or without a condom and whether or not you ejaculated.

___ ___
998 Refuse to Answer

If M11 is equal to 0 or M11 is equal to "Refuse to Answer", then skip to instruction before M12.

M11a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M11a is greater than M11 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M11.

If M1a is equal to 1 and M1b is not equal to 88 or M1a is greater than 1 and M4 is equal to 0, then skip to instruction before M15.

PARTNERS OF UNCERTAIN HIV-STATUS (the blue sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your female partner(s) whose **HIV status you were not sure of**.

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

M12. **In the last 6 months:**

How many times did you ejaculate or cum in this/these partner(s)' mouth(s) without a condom?

— — —

998 Refuse to Answer

M13. How many times did you have vaginal sex with this/these partner(s) whose status you were not sure of? This would be with or without a condom and whether or not you ejaculated. — — —

998 Refuse to Answer

If M13 is equal to 0 or M13 is equal to "Refuse to Answer", then skip to instruction before M14.

M13a. How many of these times was a condom used?

— — —

998 Refuse to Answer

If M13a is greater than M13 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M13.

M14. How many times did you have anal sex with your partner(s) whose status you were not sure of? This would be with or without a condom and whether or not you ejaculated. — — —

998 Refuse to Answer

If M14 is equal to 0 or M14 is equal to "Refuse to Answer", then skip to instruction before M15.

M14a. How many of these times was a condom used?

— — —

998 Refuse to Answer

If M14a is greater than M14 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M14.

SEXUAL RISK ASSESSMENT FOR MEN- Sexual Behavior with Men

The following questions ask about your sexual behavior with partners who are HIV-positive and HIV-negative, as well as partners whose HIV status you were not sure of. Again, these questions refer to the **last 6 months**.

- M15. Have you had any male sex partners in the **last 6 months**? By male sex partners, we mean men with whom you had anal or oral sex, with or without ejaculation.
- | | |
|---|------------------|
| 1 | Yes |
| 0 | No |
| 8 | Refuse to Answer |

If M15 is equal to 0, then skip to instruction before SUQ1.

- M15a. How many male sexual partners have you had in the last 6 months?
- | | |
|-------|------------------|
| — — — | |
| 998 | Refuse to Answer |

If M15a is greater than 1, then skip to instruction before M16.

- M15b. What is this partner's HIV status? (Choose one)
- | | |
|-----|------------------|
| 0 | Positive |
| 1 | Negative |
| 88 | Not Sure |
| 998 | Refuse to Answer |

- M15c. Were you in a primary relationship with this sex partner? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.
- | | | | |
|---|------------------|---|-----|
| 0 | No | 1 | Yes |
| 8 | Refuse to Answer | | |

- M15d. Did your primary partner know that you were HIV-positive because you told him that you were positive? (Choose one)
- | | |
|-----|------------------|
| 0 | No |
| 1 | Yes |
| 88 | Not Sure |
| 998 | Refuse to Answer |

If M15b is equal to 0, then skip to instruction before M20a.

If M15b is equal to 1, then skip to instruction before M23a.

If M15b is equal to 88, then skip to instruction before M26a.

The next questions ask about HIV-status of the sexual partners asked about in the last question. First, we will ask you about your **HIV-positive** sexual partner(s). Then we will ask you about your **HIV-negative** sexual partner(s). Lastly, we will ask you about sex partner(s) whose **HIV status you are not sure of**. For these next questions, please keep in mind that the number of HIV-positive sexual partners, HIV-negative sexual partners, and partners whose HIV status you are not sure of must equal the **total** number of partners that you entered in the last question. If you want to, write your number of partners down on the sheet of scratch paper provided to help you answer the next questions.

M16. **In the last six months...** How many of your [Response to M15a] male sex partners were **HIV-positive**?

— — —
998 Refuse to Answer

If M16 is greater than M15a then The number of your HIV-positive sex partners cannot be greater than your total number of sex partners." skip to M16.

If M16 is equal to 0 or M16 is equal to "Refuse to Answer", then skip to instruction before M17.

M16a. Of this/these [Response to M16] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M16a is greater than M16 then The number of partners you told cannot be greater than your number of partners." skip to M16.

M17. **In the last six months...** How many of your [Response to M15a] male sex partners were **HIV-negative**?

— — —
998 Refuse to Answer

If M17 is greater than M15a then The number of your HIV-negative sex partners cannot be greater than your total number of sex partners." skip to M17.

If M17 is equal to 0 or M17 is equal to "Refuse to Answer", then skip to instruction before M18.

M17a. Of this/these [Response to M17] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M17a is greater than M17 then The number of partners you told cannot be greater than your number of partners." skip to M17.

M18. **In the last six months...** How many of your [Response to M15a] male partners' HIV status were you unsure of?

— — —
998 Refuse to Answer

If M18 is greater than M15a then The number of your partners whose HIV status you were not sure of cannot be greater than your total number of sex partners." skip to M18.

If M16 + M17 + M18 is not equal to M15a and M16 is not equal to "Refuse to Answer" and M17 is not equal to "Refuse to Answer" and M18 is not equal to "Refuse to Answer" then The number of HIV+, HIV-, and unknown HIV status partners must equal your total number of partners. We will now ask you about these partners again." skip to M16.

If M18 is equal to 0 or M18 is equal to "Refuse to Answer", then skip to M19.

M18a. Of this/these [Response to M18] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M18a is greater than M18 then The number of partners you told cannot be greater than your number of partners." skip to instruction before M18a.

M19. Were you in a primary relationship with at least **one** male sex partner during the **last 6 months**? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.

1 Yes
0 No
8 Refuse to Answer

If M19 is equal to 0, then skip to instruction before M20a.

M19a. How many primary partners have you had in the last 6 months? (Choose one)

0 1
1 More than 1
8 Refuse to Answer

If M19a is equal to 1, then skip to instruction before M19d.

M19b. What is your primary partner's HIV status? (Choose one)

00 Positive
01 Negative
88 Not Sure
98 Refuse to Answer

M19c. Did your primary partner know that you were HIV-positive because you told him that you were positive?

1 Yes
0 No
8 Refuse to Answer

If M19a is equal to 0, then skip to instruction before M20a.

M19d. How many primary partners have you had in the last 6 months?

— — —
998 Refuse to Answer

If M19d is greater than M15a then The number of your primary partners cannot be greater than your total number of sex partners" skip to M19d.

M19e. How many of your [Response to M19d] primary partners were HIV-positive?

— — —
998 Refuse to Answer

If M19e is greater than M19d then The number of HIV-positive primary partners cannot be greater than the number of primary partners" skip to M19e.

If M19e is greater than M16 then The number of HIV-positive primary partners cannot be greater than the number of your HIV-positive partners" skip to M19e.

If M19e is equal to 0 or M19e is equal to "Refuse to Answer", then skip to instruction before M19f.

M19e1. Of this/these [Response to M19e] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M19e1 is greater than M19e then The number of partners you told cannot be greater than your number of partners." skip to M19e.

M19f. How many of your [Response to M19d] primary partners were HIV-negative?

— — —
998 Refuse to Answer

If M19f is greater than M19d then The number of HIV-negative primary partners cannot be greater than the number of primary partners" skip to M19f.

If M19f is greater than M17 then The number of HIV-negative primary partners cannot be greater than the number of your HIV-negative partners" skip to M19f.

If M19f is equal to 0 or M19f is equal to "Refuse to Answer", then skip to instruction before M19g.

M19f1. Of this/these [Response to M19f] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M19f1 is greater than M19f then The number of partners you told cannot be greater than your number of partners." skip to M19f.

M19g. How many of your [Response to M19d] primary partners' HIV status were you unsure of?

— — —
998 Refuse to Answer

If M19g is greater than M19d then The number of primary partners whose HIV status you were unsure of cannot be greater than the number of primary partners." skip to M19g.

If M19g is greater than M18 then The number of primary partners whose HIV status you are unsure of cannot be greater than the number of your unknown HIV-status partners" skip to M19g.

If M19g is equal to 0 or M19g is equal to "Refuse to Answer", then skip to instruction before M20a.

M19g1. Of this/these [Response to M19g] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If M19g1 is greater than M19g then The number of partners you told cannot be greater than your number of partners." skip to M19g.

If M19e + M19f + M19g is not equal to M19d then The sum of the number of HIV-positive, HIV- negative and unknown HIV status primary partners must equal your total number of primary partners'' skip to M19e.

If M15a is equal to 1 and M15b is not equal to 0 or M15a is greater than 1 and M16 is equal to 0, then skip to instruction before M23a.

HIV-POSITIVE PARTNERS (the yellow sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-positive** male partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

M20a. **In the last 6 months:**
How many times did you have oral sex without a condom when your HIV-positive partner(s) ejaculated or came in your mouth?

___ ___
998 Refuse to Answer

M20b. **In the last 6 months:**
How many times did you ejaculate or cum in this/these HIV-positive partner(s)' mouth(s) without a condom?

___ ___
998 Refuse to Answer

M21. How many times did you have anal sex with this/these HIV-positive partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated. (How many times did this/these partner(s) fuck you? This would be with or without a condom and whether or not he/they came.)

___ ___
998 Refuse to Answer

If M21 is equal to 0, then skip to instruction before M22.

M21a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M21a is greater than M21 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M21.

M22. How many times did you have anal sex with your HIV-positive partner(s) when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated. (How many times did you fuck your HIV-positive male partner(s)? This would be with or without a condom and whether or not you came.)

___ ___
998 Refuse to Answer

If M22 is equal to 0, then skip to instruction before M23a.

M22a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If M22a is greater than M22 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M22.

If M15a is equal to 1 and M15b is not equal to 1 or M15a is greater than 1 and M17 is equal to 0, then skip to instruction before M26a.

HIV-NEGATIVE PARTNERS (the green sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-negative** male partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

M23a. **In the last 6 months:**

How many times did you have oral sex without a condom when your HIV-negative partner(s) ejaculated or came in your mouth?

— — —
998

Refuse to Answer

M23b. **In the last 6 months:**

How many times did you ejaculate or cum in this/these HIV-negative partner(s)' mouth(s) without a condom?

— — —
998

Refuse to Answer

M24. How many times did you have anal sex with this/these HIV-negative partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated. (How many times did this/these partner(s) fuck you? This would be with or without a condom and whether or not he/they came.)

— — —
998

Refuse to Answer

If M24 is equal to 0, then skip to instruction before M25.

M24a. How many of these times was a condom used?

— — —
998

Refuse to Answer

If M24a is greater than M24 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M24.

M25. How many times did you have anal sex with your HIV-negative partner(s) when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated. (How many times did you fuck your HIV-negative male partner(s)? This would be with or without a condom and whether or not you came.)

— — —
998

Refuse to Answer

If M25 is equal to 0, then skip to instruction before M26a.

M25a. How many of these times was a condom used?

— — —
998

Refuse to Answer

If M25a is greater than M25 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M25.

If M15a is equal to 1 and M15b is not equal to 88 or M15a is greater than 1 and M18 is equal to 0, then skip to instruction before SUQ1.

PARTNERS OF UNCERTAIN HIV-STATUS (the blue sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your male partner(s) whose **HIV status you were not sure of**.

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and continued. Include those occasions when we ask you about intercourse without condoms.

M26a. **In the last 6 months:**
How many times did you have oral sex without a condom when your partner(s) whose HIV status you were not sure of ejaculated or came in your mouth?

___ ___ ___
998 Refuse to Answer

M26b. How many times did you ejaculate or cum in this/these partner(s)' mouth(s) without a condom?

___ ___ ___
998 Refuse to Answer

M27. How many times did you have anal sex with your partner(s) whose HIV status was unknown when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

*(How many times did this/these partner(s) fuck you?
This would be with or without a condom and whether or not he/they came.)*

___ ___ ___
998 Refuse to Answer

If M27 is equal to 0, then skip to instruction before M28.

M27a. How many of these times was a condom used?

___ ___ ___
998 Refuse to Answer

If M27a is greater than M27 then The number of times you used a condom cannot be greater than the number of times having sex." skip to M27.

M28. How many times did you have anal sex with your partner(s) whose HIV status was unknown when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.

(How many times did you fuck your male partner(s) of unknown HIV status? This would be with or without a condom and whether or not you came.)

___ ___ ___
998 Refuse to Answer

If M28 is equal to 0, then skip to instruction before SUQ1.

SEXUAL RISK ASSESSMENT FOR WOMEN- Sexual Behavior with Men

These next questions are about the sexual relationships you might have had in the **last 6 months**. Again, please remember that all data are strictly confidential and your responses are protected by law and cannot be disclosed to any outside organization or agency not involved with this study.

The following questions ask about your sexual behavior with partners who are HIV-positive and HIV-negative, as well as partners whose HIV status you were not sure of. Again, these questions refer to the **last 6 months**.

- W1. Have you had any male sex partners in the **last 6 months**? By male sex partner, we mean men with whom you had vaginal, anal or oral sex, with or without ejaculation.
- | | |
|---|------------------|
| 1 | Yes |
| 0 | No |
| 8 | Refuse to Answer |

If W1 is equal to 0, then skip to instruction before SUQ1.

- W1a. How many male sexual partners have you had in the last 6 months?
- | | | |
|-----|-----|------------------|
| --- | --- | --- |
| 998 | | Refuse to Answer |

If W1a is greater than 1, then skip to instruction before W2.

- W1b. What is this partner's HIV status? (Choose one)
- | | |
|-----|------------------|
| 0 | Positive |
| 1 | Negative |
| 88 | Not Sure |
| 998 | Refuse to Answer |
- W1c. Were you in a primary relationship with this sex partner? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.
- | | | | |
|---|------------------|---|-----|
| 0 | No | 1 | Yes |
| 8 | Refuse to Answer | | |
- W1d. Did your primary partner know that you were HIV-positive because you told him that you were positive? (Choose one)
- | | |
|-----|------------------|
| 0 | No |
| 1 | Yes |
| 88 | Not Sure |
| 998 | Refuse to Answer |

If W1b is equal to 0, then skip to instruction before W6.

If W1b is equal to 1, then skip to instruction before W9.

If W1b is equal to 88, then skip to instruction before W12.

The next questions ask about HIV-status of the sexual partners asked in the last question. First, we will be asking you about your **HIV-positive** sexual partner(s). Then we will ask you about your **HIV-negative** sexual partner(s). Lastly, we will ask you about sex partner(s) whose **HIV status you are not sure of**. For these next questions, please keep in mind that the number of HIV-positive sexual partners, HIV-negative sexual partners, and partners whose HIV status you are not sure of must equal the **total** number of partners that you entered in the last question. If you want to, write your number of partners down on the sheet of scratch paper provided to help you answer the next questions.

W2. **In the last six months...** How many of your [Response to W1a] male sex partners were **HIV-positive**?

— — —
998 Refuse to Answer

If W2 is greater than W1a then The number of your HIV-positive sex partners cannot be greater than your total number of sex partners." skip to W2.

If W2 is equal to 0 or W2 is equal to "Refuse to Answer", then skip to instruction before W3.

W2a. Of this/these [Response to W2] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If W2a is greater than W2 then The number of partners you told cannot be greater than your number of partners." skip to W2.

W3. **In the last six months...** How many of your [Response to W1a] male sex partners were **HIV-negative**?

— — —
998 Refuse to Answer

If W3 is greater than W1a then The number of your HIV-negative sex partners cannot be greater than your total number of sex partners." skip to W3.

If W3 is equal to 0 or W3 is equal to "Refuse to Answer", then skip to instruction before W4.

W3a. Of this/these [Response to W3] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If W3a is greater than W3 then The number of partners you told cannot be greater than your number of partners." skip to W3.

W4. **In the last six months...** How many of your [Response to W1a] male partners' HIV status were you unsure of?

— — —
998 Refuse to Answer

If W4 is greater than W1a then The number of your partners whose HIV status you are not sure of cannot be greater than your total number of sex partners." skip to W4.

If W2 + W3 + W4 is not equal to W1a and W2 is not equal to "Refuse to Answer" and W3 is not equal to "Refuse to Answer" and W4 is not equal to "Refuse to Answer" then The number of HIV+, HIV-, and unknown HIV status partners must equal your total number of partners. We will now ask you about these partners again." skip to W2.

If W4 is equal to 0 or W4 is equal to "Refuse to Answer", then skip to W5.

W4a. Of this/these [Response to W4] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If W4a is greater than W4 then The number of partners you told cannot be greater than your number of partners." skip to instruction before W4a.

W5. Were you in a primary relationship with at least **one** male sex partner during the **last 6 months**? This would be someone you have lived with or seen a lot, and to whom you have felt a special emotional commitment.

1 Yes
0 No
8 Refuse to Answer

If W5 is equal to 0, then skip to instruction before W6.

W5a. How many primary partners have you had in the last 6 months? (Choose one)

0 1
1 More than 1
8 Refuse to Answer

If W5a is equal to 1, then skip to instruction before W5d.

W5b. What is your primary partner's HIV status? (Choose one)

00 Positive
01 Negative
88 Not Sure
98 Refuse to Answer

W5c. Did your primary partner know that you were HIV-positive because you told him that you were positive?

1 Yes
0 No
8 Refuse to Answer

If W5a is equal to 0, then skip to instruction before W6.

W5d. How many primary partners have you had in the last 6 months?

— — —
998 Refuse to Answer

If W5d is greater than W1a then The number of your primary partners cannot be greater than your total number of sex partners." skip to W5d.

W5e. How many of your [Response to W5d] primary partners were HIV-positive?

— — —
998 Refuse to Answer

If W5e is greater than W5d then The number of HIV-positive primary partners cannot be greater than the number of primary partners" skip to W5e.

If W5e is greater than W2 then The number of HIV-positive primary partners cannot be greater than the number of your HIV-positive partners" skip to W5e.

If W5e is equal to 0 or W5e is equal to "Refuse to Answer", then skip to instruction before W5f.

W5e1. Of this/these [Response to W5e] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If W5e1 is greater than W5e then The number of partners you told cannot be greater than your number of partners." skip to W5e.

W5f. How many of your [Response to W5d] primary partners were HIV-negative?

— — —
998 Refuse to Answer

If W5f is greater than W5d then The number of HIV-negative primary partners cannot be greater than the number of primary partners" skip to W5f.

If W5f is greater than W3 then The number of HIV-negative primary partners cannot be greater than the number of your HIV-negative partners" skip to W5f.

If W5f is equal to 0 or W5f is equal to "Refuse to Answer", then skip to instruction before W5g.

W5f1. Of this/these [Response to W5f] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998 Refuse to Answer

If W5f1 is greater than W5f then The number of partners you told cannot be greater than your number of partners." skip to W5f.

W5g. How many of your [Response to W5d] primary partners' HIV status were you unsure of?

— — —
998 Refuse to Answer

If W5g is greater than W5d then The number of primary partners whose HIV status you were unsure of cannot be greater than the number of primary partners." skip to W5g.

If W5g is greater than W4 then The number of primary partners whose HIV status you are unsure of cannot be greater than the number of your unknown HIV-status partners" skip to W5g.

If W5g is equal to 0 or W5g is equal to "Refuse to Answer", then skip to instruction before W6.

W5g1. Of this/these [Response to W5g] partner(s), how many knew that you were HIV-positive because you told them that you were positive?

— — —
998

Refuse to Answer

If W5g1 is greater than W5g then The number of partners you told cannot be greater than your number of partners." skip to W5g.

If W5e + W5f + W5g is not equal to W5d then The sum of the number of HIV-positive, HIV-negative, and unknown HIV status primary partners must equal your total number of primary partners" skip to W5e.

If W1a is equal to 1 and W1b is not equal to 0 or W1a is greater than 1 and W2 is equal to 0, then skip to instruction before W9.

HIV-POSITIVE PARTNERS (the yellow sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-positive** male partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

W6. In the last 6 months:

How many times did you have oral sex without a condom when your HIV-positive partner(s) ejaculated or came in your mouth?

___ ___
998 Refuse to Answer

W7. How many times did you have vaginal sex with your HIV-positive partner(s)? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W7 is equal to 0 or W7 is equal to "Refuse to Answer", then skip to instruction before W8.

W7a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W7a is greater than W7 then The number of times using a condom cannot be greater than the number of times having sex." skip to W7.

W8. How many times did you have anal sex with your HIV-positive partner(s)? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W8 is equal to 0 or W8 is equal to "Refuse to Answer", then skip to instruction before W9.

W8a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W8a is greater than W8 then The number of times using a condom cannot be greater than the number of times having sex." skip to W8.

If W1a is equal to 1 and W1b is not equal to 1 or W1a is greater than 1 and W3 is equal to 0, then skip to instruction before W12.

HIV-NEGATIVE PARTNERS (the green sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your **HIV-negative** male partner(s).

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and sex continued. Include those occasions when we ask you about intercourse without condoms.

W9. In the last 6 months:

How many times did you have oral sex without a condom when your HIV-negative partner(s) ejaculated or came in your mouth?

___ ___
998 Refuse to Answer

W10. How many times did you have vaginal sex with your HIV-negative partner(s)? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W10 is equal to 0 or W10 is equal to "Refuse to Answer", then skip to instruction before W11.

W10a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W10a is greater than W10 then The number of times using a condom cannot be greater than the number of times having sex." skip to W10.

W11. How many times did you have anal sex with your HIV-negative partner(s)? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W11 is equal to 0 or W11 is equal to "Refuse to Answer", then skip to instruction before W12.

W11a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W11a is greater than W11 then The number of times using a condom cannot be greater than the number of times having sex." skip to W11.

If W1a is equal to 1 and W1b is not equal to 88 or W1a is greater than 1 and W4 is equal to 0, then skip to instruction before SUQ1.

PARTNERS OF UNCERTAIN HIV-STATUS (the green sheet)

The next group of questions asks about the sexual contacts you have had in the last 6 months with your male partner(s) whose **HIV status you were not sure of**.

Some of the next questions are about sexual behaviors where you or your partner may or may not have used a male or a female condom. When we ask about sex with a condom, we mean that a condom was put on or inserted **before** penetration and used **throughout** sex. For example, when we ask how many times a condom was used during intercourse, do not include times when penetration occurred without a condom, then a condom was put on and continued. Include those occasions when we ask you about intercourse without condoms.

W12. **In the last 6 months:**

How many times did you have oral sex without a condom when your partner(s) whose HIV status you were not sure of ejaculated or came in your mouth?

___ ___
998 Refuse to Answer

W13. How many times did you have vaginal sex with this/these partner(s) with uncertain HIV status? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W13 is equal to 0 or W13 is equal to "Refuse to Answer", then skip to instruction before W14.

W13a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W13a is greater than W13 then The number of times using a condom cannot be greater than the number of times having sex." skip to W13.

W14. How many times did you have anal sex with partner(s) whose HIV status you were not sure of when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

___ ___
998 Refuse to Answer

If W14 is equal to 0 or W14 is equal to "Refuse to Answer", then skip to instruction before SUQ1.

W14a. How many of these times was a condom used?

___ ___
998 Refuse to Answer

If W14a is greater than W14 then The number of times using a condom cannot be greater than the number of times having sex." skip to W14a.

Substance Use

The following questions ask you about your alcohol and drug use primarily over the **last three months**. Answer the questions as honestly as possible.

- SUQ1. Select the number that most represents how often you drank alcohol in the **last 3 months**? By alcohol we mean wine, beer, or liquor. In the **last 3 months**, did you drink alcohol. . . (Select one) (Choose one)
- | | |
|---|------------------------|
| 0 | Every day |
| 1 | 2 to 6 times a week |
| 2 | Once a week |
| 3 | 1 to 3 times a month |
| 4 | Less than once a month |
| 5 | Never |
| 9 | Prefer not to Answer |

If SUQ1 is equal to 5 or SUQ1 is equal to 9, then skip to SUQ3.

- SUQ2. In the last 3 months, how often did you drink five or more drinks in a single day? In the last 3 months, did you drink five or more drinks of alcohol . . . (Select one) (Choose one)
- | | |
|---|------------------------|
| 0 | Every day |
| 1 | 2 to 6 times a week |
| 2 | Once a week |
| 3 | 1 to 3 times a month |
| 4 | Less than once a month |
| 5 | Never |
| 9 | Prefer not to Answer |

If SUQ2 is less than SUQ1 and SUQ1 is not equal to 9 then The number of days which you drank five or more drinks in a single day cannot be greater than the number of days in which you drank alcohol." skip to SUQ2.

- SUQ3. In the last 3 months, have you sniffed, snorted, smoked, or swallowed any drugs? This does not include any drugs you have injected. (Choose one)
- | | |
|---|----------------------|
| 0 | No |
| 1 | Yes |
| 9 | Prefer not to Answer |

If SUQ3 is equal to 0 or SUQ3 is equal to 9, then skip to IDQ1.

SUQ4. Place a mark next to those drugs that you sniffed, snorted, smoked, or swallowed in the last 3 months.
(Select all that apply) (Check all that apply)

- Marijuana
- Crack
- Cocaine
- Heroin
- Methamphetamines
- Vitamin K (Ketamine)
- Opiates like Vicodin, Oxycontin, Dilaudid, Percocet, or Darvocet
- Street Methadone
- Tranquilizers or Barbiturates like Valium, Xanax or GHB
- Hallucinogens like LSD or Ecstasy
- Inhalants like glue, poppers, nitrous oxide (NO₂)
- Viagra
- Other
- Prefer not to Answer

If SUQ4N is equal to 1 and (SUQ4A is equal to 1 or SUQ4B is equal to 1 or SUQ4C is equal to 1 or SUQ4D is equal to 1 or SUQ4E is equal to 1 or SUQ4F is equal to 1 or SUQ4G is equal to 1 or SUQ4H is equal to 1 or SUQ4I is equal to 1 or SUQ4J is equal to 1 or SUQ4K is equal to 1 or SUQ4L is equal to 1 or SUQ4M is equal to 1) then You may not select a drug if 'Prefer not to Answer' is selected." skip to SUQ4.

Substance Use: Injection Drug Use

IDQ1. In the last 30 days, have you injected any drugs? By injected we mean shot up. (Choose one)

- 0 No
- 1 Yes
- 9 Prefer not to Answer

If IDQ1 is equal to 0 or IDQ1 is equal to 9, then skip to end of questionnaire.

IDQ2. Place a mark next to those drugs that you injected in the last 30 days. (Select all that apply) (Check all that apply)

- Cocaine
- Crack by itself
- Heroin by itself
- Heroin and Cocaine together, sometimes called a Speedball
- Amphetamine by itself
- Heroin and Amphetamines together, sometimes called a Goofball
- Street Methadone
- Vitamin K (Ketamine)
- Hormones
- Steroids
- Hallucinogens like LSD or Ecstasy
- Other
- Prefer not to Answer

If IDQ2M is equal to 1 and (IDQ2A is equal to 1 or IDQ2B is equal to 1 or IDQ2C is equal to 1 or IDQ2D is equal to 1 or IDQ2E is equal to 1 or IDQ2F is equal to 1 or IDQ2G is equal to 1 or IDQ2H is equal to 1 or IDQ2I is equal to 1 or IDQ2J is equal to 1 or IDQ2K is equal to 1 or IDQ2L is equal to 1) then You may not select a drug if 'Prefer not to Answer' is selected." skip to IDQ2.

IDQ3. In the last 30 days, did you inject drugs in a shooting gallery? (Choose one)

- 0 No
- 1 Yes
- 9 Prefer not to Answer

In the next question, we want to know how many **times** have you injected drugs in the last 30 days.

IDQ4. How many times have you injected any drug in the last 30 days? Enter the number in the space provided below.

___ ___ ___ times in last 30 days
998 Refuse to Answer

IDQ5. In the last 30 days, how many times did you use a syringe to load another (sometimes called "frontloading," "backloading," or "piggybacking.")

___ ___ ___ times in last 30 days

If IDQ5 is equal to "Refuse to Answer" or IDQ5 is equal to 0, then skip to instruction before IDQ8.

If IDQ9a + IDQ9b + IDQ9c is not equal to IDQ8 then The number of different people you injected with in the last 30 days that were HIV-positive, HIV-negative and did not tell you their HIV status must equal the total number of different people you injected with in the last 30 days." skip to IDQ8.

If (IDQ9a is equal to "Refuse to Answer" or IDQ9a is less than 1) and (IDQ9b is equal to "Refuse to Answer" or IDQ9b is less than 1) and (IDQ9c is equal to "Refuse to Answer" or IDQ9c is less than 1), then skip to instruction before IDQ28a.

If IDQ9a is equal to 0 or IDQ9a is equal to "Refuse to Answer", then skip to instruction before IDQ16.

Substance Use: HIV-POSITIVE INJECTION PARTNERS

For the next few questions, think about the [Response to IDQ9a] **HIV-positive** people that you have injected with over the last 30 days.

IDQ10. In the last 30 days, with how many of the [Response to IDQ9a] **HIV-positive** people did you share cookers, cottons, or rinse water?

— — — people
998 Refuse to Answer

If IDQ10 is greater than IDQ9a then The number of HIV-positive people you shared cookers, cottons, or rinse water with cannot be greater than the number of HIV-positive injection partners." skip to IDQ10.

If IDQ10 is equal to 0 or IDQ10 is equal to "Refuse to Answer", then skip to IDQ12.

IDQ11. In the last 30 days, how many times did you share cookers, cottons, or rinse water with these **HIV-positive** people?

— — — times
998 Refuse to Answer

IDQ12. In the last 30 days, how many of the **HIV-positive** people did you lend a needle to after you had used it?

— — — people
998 Refuse to Answer

If IDQ12 is greater than IDQ9a then The number of HIV-positive people you lent a needle to after you used it with them cannot be greater than the number of HIV-positive injection partners." skip to IDQ12.

If IDQ12 is equal to 0 or IDQ12 is equal to "Refuse to Answer", then skip to instruction before IDQ16.

IDQ13. In the last 30 days, how many total times did you lend or give a needle to at least one of these **HIV-positive** people after you had used it?

— — — times
998 Refuse to Answer

IDQ14. Of the total number of times you lent or gave a needle to someone after you had used it, how many times did you or your sharing partner(s) bleach it before they used it themselves? — — — times

998 Refuse to Answer

If IDQ14 is greater than IDQ13 then The number of times that you/your sharing partner(s) bleached the needle you had used before they used it cannot be greater than the total number of times you lent/gave a needle to someone else" skip to IDQ13.

IDQ15. Of the total of **HIV-positive** sharing partners you lent needles to during the last 30 days after you had used them, how many knew that you were HIV-positive because you told them? — — — partners

998 Refuse to Answer

If IDQ15 is greater than IDQ12 then The number of HIV-positive people who you lent needles to after use who knew you were HIV-positive cannot be greater than the number of HIV-positive injection partners you lent needles to." skip to IDQ15.

If IDQ9b is equal to 0 or IDQ9b is equal to "Refuse to Answer", then skip to instruction before IDQ22.

Substance Use: HIV-NEGATIVE INJECTION PARTNERS

For the next few questions, think about the [Response to IDQ9b] **HIV-negative** people that you have injected with over the last 30 days.

IDQ16. In the last 30 days, with how many of the [Response to IDQ9b] **HIV-negative** people did you share cookers, cottons, or rinse water?

— — — people
998 Refuse to Answer

If IDQ16 is greater than IDQ9b then The number of HIV-negative people you shared cookers, cottons, or rinse water with cannot be greater than the number of HIV-negative injection partners." skip to IDQ16.

If IDQ16 is equal to 0 or IDQ16 is equal to "Refuse to Answer", then skip to IDQ18.

IDQ17. In the last 30 days, how many times did you share cookers, cottons, or rinse water with these **HIV-negative** people?

— — — times
998 Refuse to Answer

IDQ18. In the last 30 days, how many of the **HIV-negative** people did you lend a needle to after you had used it?

— — — people
998 Refuse to Answer

If IDQ18 is greater than IDQ9b then The number of HIV-negative people you lent a needle to after you used it with them cannot be greater than the number of HIV-negative injection partners." skip to IDQ18.

If IDQ18 is equal to 0 or IDQ18 is equal to "Refuse to Answer", then skip to instruction before IDQ22.

IDQ19. In the last 30 days, how many total times did you lend or give a needle to at least one of these **HIV-negative** people after you had used it?

— — — times
998 Refuse to Answer

IDQ20. Of the total number of times you lent or gave a needle to someone after you had used it, how many times did you or your sharing partner(s) bleach it before they used it themselves? — — — times

998 Refuse to Answer

If IDQ20 is greater than IDQ19 then The number of times that you/your sharing partner(s) bleached the needle you had used before they used it cannot be greater than the total number of times you lent/gave a needle to someone else" skip to IDQ19.

IDQ21. Of the total of **HIV-negative** sharing partners you lent needles to during the last 30 days after you had used them, how many knew that you were HIV-positive because you told them? — — — partners

998 Refuse to Answer

If IDQ21 is greater than IDQ18 then The number of HIV-negative people who you lent needles after use who knew you were HIV-positive cannot be greater than the number of HIV-negative injection partners you lent needles to" skip to IDQ21.

If IDQ9c is equal to 0 or IDQ9c is equal to "Refuse to Answer", then skip to instruction before IDQ28a.

If IDQ1 is equal to 0 or IDQ1 is equal to 9, then skip to end of questionnaire.

Substance Use: Attitudes - IDU's ONLY

For the following questions click on the response that best reflects the degree to which you agree or disagree with the statement

IDQ28a. I get a lot of support from staff at this clinic for coping with the challenges of injection drug use as a person living with HIV.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28b. My healthcare provider assumes I always use clean needles.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28c. Using clean needles is an effective way to prevent HIV transmission.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28d. The staff at this clinic do not understand how injecting fits into my life.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28e. My healthcare provider is not comfortable talking about my injection drug use.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28f. Drug treatment resources are available to me.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28g. Staff at this clinic have given me the information I need to inject safely.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28h. I am confident that I can decrease the chances of transmitting HIV to someone else by using safe injection practices.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

IDQ28i. The subject of safe injecting never comes up as part of my routine HIV care visits.

- 1 Strongly Disagree
- 2 Disagree
- 3 Somewhat Disagree
- 4 Neither agree nor disagree
- 5 Somewhat Agree
- 6 Agree
- 7 Strongly Agree
- 8 Refuse to Answer
- 9 Not Applicable

This survey is complete. Thank you!